



Fessenden Cooperative Association
2011 Yield Report

Fessenden - Corn

| 2011 Corn Planting & Harvest Report | | | | | | | |
|-------------------------------------|------------------|---------------|-----------------|----------------|--------------|----------------|---------------------|
| Entry No. | Brand | Hybrid | Harvest Moist % | Row Width (in) | Harvest Pop. | Tst Wt. lbs/bu | Bu/Acre @ 15.5% mst |
| 1 | Dekalb | 30-20 | 18.5 | 30 | 30000 | 49.0 | 124.2 |
| 2 | Dekalb | 33-53 | 24.6 | 30 | 30000 | 43.3 | 137.4 |
| 3 | Dekalb | 33-53 | 24.1 | 30 | 30000 | 45.9 | 128.8 |
| 4 | Dekalb | 35-43 | 20.7 | 30 | 30000 | 46.7 | 133.7 |
| 5 | Dekalb | 36-08 | 21.4 | 30 | 30000 | 48.8 | 148.5 |
| 6 | Dekalb | 36-34 | 21.6 | 30 | 30000 | 47.1 | 153.0 |
| 7 | Dekalb | 36-64 | 23.4 | 30 | 30000 | 44.9 | 143.6 |
| 8 | Wensman | W 6050 | 19.0 | 30 | 30000 | 50.4 | 135.1 |
| 9 | Wensman | W 7080 | 19.3 | 30 | 30000 | 49.0 | 140.3 |
| 10 | Wensman | W 8074 | 17.5 | 30 | 30000 | 51.0 | 139.4 |
| 11 | Wensman | W 8085 | 18.5 | 30 | 30000 | 47.2 | 144.9 |
| 12 | Wensman | W 8089 | 20.9 | 30 | 30000 | 46.8 | 153.5 |
| 13 | CROPLAN_GENETICS | 1829VT2P | 18.0 | 30 | 30000 | 51.2 | 137.4 |
| 14 | CROPLAN_GENETICS | 229SS | 21.2 | 30 | 30000 | 48.8 | 144.8 |
| 15 | CROPLAN_GENETICS | 2280AS3/GT | 17.8 | 30 | 30000 | 48.9 | 139.2 |
| 16 | CROPLAN_GENETICS | 2520VT3 | 20.6 | 30 | 30000 | 47.7 | 157.6 |
| 17 | CROPLAN_GENETICS | 2727-3000GT | 19.4 | 30 | 30000 | 49.1 | 141.6 |
| 18 | NK_Brand | N08N-GT/CB/CL | 15.4 | 30 | 30000 | 48.8 | 129.9 |
| 19 | NK_Brand | N12R-3000GT | 17.6 | 30 | 30000 | 49.2 | 139.0 |
| 20 | NK_Brand | N19G-3111 | 21.5 | 30 | 30000 | 45.0 | 132.7 |
| 21 | NK_Brand | N21J-3000GT | 22.0 | 30 | 30000 | 44.0 | 135.0 |
| 22 | NK_Brand | N19G-3000-GT | 19.8 | 30 | 30000 | 45.1 | 137.9 |

Carrington - Corn

| 2011 Corn Planting & Harvest Report | | | | | | | |
|-------------------------------------|------------------|--------|-----------------|----------------|--------------|----------------|---------------------|
| Entry No. | Brand | Hybrid | Harvest Moist % | Row Width (in) | Harvest Pop. | Tst Wt. lbs/bu | Bu/Acre @ 15.5% mst |
| 1 | Dekalb | 30-20 | 15.7 | 30 | 30000 | 56.6 | 176.8 |
| 2 | Dekalb | 33-53 | 20.1 | 30 | 30000 | 52.4 | 191.9 |
| 3 | Dekalb | 35-43 | 19.0 | 30 | 30000 | 52.6 | 192.0 |
| 4 | Dekalb | 36-64 | 21.5 | 30 | 30000 | 50.8 | 169.6 |
| 5 | Dekalb | 37-38 | 21.6 | 30 | 30000 | 49.8 | 186.7 |
| 6 | Dekalb | 39-07 | 21.8 | 30 | 30000 | 47.2 | 189.2 |
| 7 | Wensman | 6050 | 16.8 | 30 | 30000 | 53.2 | 145.9 |
| 8 | Wensman | 7080 | 18.0 | 30 | 30000 | 54.9 | 188.9 |
| 9 | Wensman | 8074 | 17.5 | 30 | 30000 | 53.8 | 176.5 |
| 10 | Wensman | 8085 | 20.4 | 30 | 30000 | 50.8 | 180.6 |
| 11 | Wensman | 8089 | 19.1 | 30 | 30000 | 50.7 | 192.9 |
| 12 | CROPLAN_GENETICS | 229 | 22.3 | 30 | 30000 | 49.7 | 171.7 |
| 13 | CROPLAN_GENETICS | 2280 | 19.8 | 30 | 30000 | 52.0 | 183.7 |
| 14 | CROPLAN_GENETICS | 2520 | 20.8 | 30 | 30000 | 49.2 | 181.1 |
| 15 | CROPLAN_GENETICS | 2727 | 21.2 | 30 | 30000 | 49.6 | 174.9 |
| 16 | CROPLAN_GENETICS | 2738 | 26.2 | 30 | 30000 | 48.1 | 157.1 |
| 17 | NK_Brand | N12R | 21.7 | 30 | 30000 | 49.6 | 160.1 |
| 18 | NK_Brand | N16M | 22.3 | 30 | 30000 | 52.7 | 174.9 |
| 19 | NK_Brand | N19G | 28.6 | 30 | 30000 | 48.6 | 162.8 |
| 20 | NK_Brand | N19G | 25.6 | 30 | 30000 | 51.3 | 163.9 |
| 21 | NK_Brand | N21J | 23.7 | 30 | 30000 | 50.2 | 173.9 |

Esmond - Corn

| 2011 Corn Planting & Harvest Report | | | | | | | |
|-------------------------------------|------------------|------------|-----------------|----------------|--------------|----------------|---------------------|
| Entry No. | Brand | Hybrid | Harvest Moist % | Row Width (in) | Harvest Pop. | Tst Wt. lbs/bu | Bu/Acre @ 15.5% mst |
| 1 | Dekalb | 30-20 | 19.2 | 30 | 30000 | 47.4 | 136.0 |
| 2 | Dekalb | 30-20 STAM | 18.7 | 30 | 30000 | 50.0 | 138.9 |
| 3 | Dekalb | 33-53 | 24.1 | 30 | 30000 | 44.7 | 141.1 |
| 4 | Dekalb | 35-43 | 21.8 | 30 | 30000 | 46.2 | 146.9 |
| 5 | Dekalb | 36-08 | 22.9 | 30 | 30000 | 46.9 | 153.3 |
| 6 | Dekalb | 36-34 | 21.8 | 30 | 30000 | 48.0 | 161.2 |
| 7 | Wensman | 6050 | 18.6 | 30 | 30000 | 50.2 | 137.9 |
| 8 | Wensman | 7080 | 18.8 | 30 | 30000 | 48.3 | 145.8 |
| 9 | Wensman | 8074 | 18.8 | 30 | 30000 | 49.2 | 135.3 |
| 10 | Wensman | 8085 | 23.5 | 30 | 30000 | 45.8 | 151.3 |
| 11 | Wensman | 8089 | 24.8 | 30 | 30000 | 42.9 | 148.4 |
| 12 | CROPLAN_GENETICS | 1829 | 18.4 | 30 | 30000 | 48.2 | 133.7 |
| 13 | CROPLAN_GENETICS | 229 | 22.1 | 30 | 30000 | 44.7 | 124.7 |
| 14 | CROPLAN_GENETICS | 2280 | 28.1 | 30 | 30000 | 44.1 | 141.9 |
| 15 | CROPLAN_GENETICS | 2520 | 31.8 | 30 | 30000 | 42.0 | 139.4 |
| 16 | CROPLAN_GENETICS | 2727 | 31.9 | 30 | 30000 | 41.6 | 137.9 |
| 17 | NK_Brand | N08N | 20.1 | 30 | 30000 | 44.9 | 135.0 |
| 18 | NK_Brand | N12R | 22.0 | 30 | 30000 | 48.5 | 137.9 |
| 19 | NK_Brand | N16M | 24.2 | 30 | 30000 | 46.9 | 128.9 |
| 20 | NK_Brand | N17H | 26.2 | 30 | 30000 | 46.6 | 131.5 |
| 21 | NK_Brand | N19G | 26.4 | 30 | 30000 | 43.9 | 127.6 |

Fessenden - Soybeans

| 2011 Soybean Planting & Harvest Report | | | | | | |
|--|------------------|-----------|------------------|---------------|----------------|-------------------|
| Entry No. | Brand | Hybrid | Harvest Moisture | Row Width(in) | Tst Wt. lbs/bu | Bu/Acre @ 13% mst |
| 1 | Asgrow | AG00632 | 8.2 | 30 | 56.6 | 35.5 |
| 2 | Asgrow | AG00931 | 8.0 | 30 | 56.6 | 44.8 |
| 3 | Asgrow | AG00932 | 8.2 | 30 | 57.0 | 39.8 |
| 4 | Asgrow | AG0131 | 8.3 | 30 | 54.6 | 41.3 |
| 5 | Asgrow | AG0231 | 8.2 | 30 | 57.2 | 42.9 |
| 6 | NK_Brand | S02-B4 | 8.2 | 30 | 57.8 | 41.5 |
| 7 | NK_Brand | S06-H5 | 8.3 | 30 | 55.3 | 39.8 |
| 8 | NK_Brand | S00-J9 | 8.6 | 30 | 55.3 | 38.1 |
| 9 | NK_Brand | X2R00510 | 8.2 | 30 | 55.6 | 39.8 |
| 10 | NK_Brand | X2R00711 | 8.1 | 30 | 55.6 | 38.0 |
| 11 | CROPLAN_GENETICS | R2T0091 | 8.4 | 30 | 55.8 | 42.5 |
| 12 | CROPLAN_GENETICS | RT0085 | 8.3 | 30 | 55.9 | 46.8 |
| 13 | CROPLAN_GENETICS | R2T0383 | 8.6 | 30 | 56.6 | 39.1 |
| 14 | CROPLAN_GENETICS | R2T0440 | 8.5 | 30 | 56.8 | 45.2 |
| 15 | CROPLAN_GENETICS | R2T0451 | 8.3 | 30 | 56.3 | 41.3 |
| 16 | Wensman | W 30042 | 8.2 | 30 | 56.6 | 45.4 |
| 17 | Wensman | W 30084R2 | 8.4 | 30 | 57.4 | 38.5 |
| 18 | Wensman | W30091R2 | 8.1 | 30 | 56.5 | 39.0 |
| 19 | Wensman | W 3054R2 | 9.1 | 30 | 56.4 | 30.3 |
| 20 | Wensman | W 3058 | 8.8 | 30 | 56.1 | 35.0 |
| 21 | Asgrow | AG0730 | 8.7 | 30 | 56.1 | 28.6 |
| 22 | Asgrow | AG0532 | 8.8 | 30 | 57.1 | 32.0 |
| 23 | Asgrow | AG0430 | 8.8 | 30 | 56.2 | 39.0 |
| 24 | NK_Brand | XR0110 | 10.2 | 30 | 57.9 | 29.4 |
| 25 | NK_Brand | S08-A2 | 9.2 | 30 | 57.4 | 31.2 |
| 26 | CROPLAN_GENETICS | RT0409 | 8.8 | 30 | 57.0 | 28.3 |
| 27 | CROPLAN_GENETICS | RT0530 | 9.3 | 30 | 55.5 | 21.8 |

Carrington - Soybeans

| 2011 Soybean Planting & Harvest Report | | | | | | |
|--|------------------|----------|------------------|---------------|----------------|-------------------|
| Entry No. | Brand | Hybrid | Harvest Moisture | Row Width(in) | Tst Wt. lbs/bu | Bu/Acre @ 13% mst |
| 1 | Asgrow | AG0430 | 10.2 | 30 | 55.5 | 57.4 |
| 2 | Asgrow | AG00532 | 10.5 | 30 | 55.5 | 47.5 |
| 3 | Asgrow | AG0730 | 10.0 | 30 | 57.1 | 45.2 |
| 4 | Asgrow | AG0808 | 10.4 | 30 | 56.7 | 45.6 |
| 5 | Asgrow | AG0832 | 10.8 | 30 | 55.7 | 45.9 |
| 6 | WENSMAN | 30042 | 10.9 | 30 | 56.7 | 50.7 |
| 7 | WENSMAN | 30084 | 10.3 | 30 | 57.1 | 51.3 |
| 8 | WENSMAN | 30091 | 10.3 | 30 | 56.7 | 47.1 |
| 9 | WENSMAN | 3054 | 10.5 | 30 | 55.8 | 35.8 |
| 10 | WENSMAN | 3058 | 10.5 | 30 | 56.5 | 43.2 |
| 11 | CROPLAN_GENETICS | R2T0091 | 10.7 | 30 | 56.9 | 46.6 |
| 12 | CROPLAN_GENETICS | RT0085 | 10.5 | 30 | 56.8 | 46.9 |
| 13 | CROPLAN_GENETICS | R2T0383 | 11.2 | 30 | 56.2 | 35.3 |
| 14 | CROPLAN_GENETICS | R2T0440 | 10.8 | 30 | 55.9 | 45.7 |
| 15 | CROPLAN_GENETICS | R2T0451 | 10.4 | 30 | 57.0 | 42.2 |
| 16 | NK_Brand | X2R00711 | 11.5 | 30 | 55.1 | 44.5 |
| 17 | NK_Brand | S02-B4 | 10.6 | 30 | 56.9 | 45.0 |
| 18 | NK_Brand | S06-W2 | 10.6 | 30 | 56.3 | 38.9 |
| 19 | NK_Brand | S06-H5 | 10.0 | 30 | 56.0 | 44.3 |
| 20 | NK_Brand | S08-A2 | 10.7 | 30 | 56.0 | 41.2 |

Esmond - Soybeans

| 2011 Soybean Planting & Harvest Report | | | | | | |
|--|------------------|----------|------------------|---------------|----------------|-------------------|
| Entry No. | Brand | Hybrid | Harvest Moisture | Row Width(in) | Tst Wt. lbs/bu | Bu/Acre @ 13% mst |
| 1 | NK_Brand | S02-B4 | 9.7 | 30 | 55.9 | 43.6 |
| 2 | NK_Brand | S06-H5 | 10.0 | 30 | 54.9 | 36.7 |
| 3 | NK_Brand | S00-J9 | 9.9 | 30 | 55.8 | 34.0 |
| 4 | NK_Brand | X2R00510 | 9.6 | 30 | 54.6 | 32.3 |
| 5 | NK_Brand | X2R00711 | 9.5 | 30 | 54.3 | 32.3 |
| 6 | CROPLAN_GENETICS | R2T0091 | 9.8 | 30 | 54.0 | 32.2 |
| 7 | CROPLAN_GENETICS | | 9.8 | | 54.3 | |
| 8 | CROPLAN_GENETICS | R2T0085 | 9.9 | 30 | 55.1 | 40.9 |
| 9 | CROPLAN_GENETICS | RT0383 | 10.0 | 30 | 55.1 | 38.8 |
| 10 | CROPLAN_GENETICS | R2T0451 | 9.5 | 30 | 55.2 | 41.4 |
| 11 | Wensman | 30066 | 9.6 | 30 | 54.5 | 30.5 |
| 12 | Wensman | 30084 | 9.3 | 30 | 54.8 | 42.7 |
| 13 | Wensman | 30091 | 9.3 | 30 | 54.8 | 39.4 |
| 14 | Wensman | 3054 | 9.7 | 30 | 55.5 | 44.9 |
| 15 | Wensman | 3058 | 9.2 | 30 | 55.7 | 50.0 |